DERWENT-ACC-NO: 1997-448425

DERWENT-WEEK: 200055

COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE: Polymerisable monomer type tissue adhesive for wound closure - contains

cyanoacrylate, plasticising agent, and acidic stabiliser, and forms flexible

and strong bond in or bridging wound site INVENTOR: CLARK, J G; LEUNG, J C

PATENT-ASSIGNEE: CLOSURE MEDICAL CORP[CLOSN]

PRIORITY-DATA: 1996US-0609921 (February 29, 1996)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGU	AGE	PAGES	MAIN-IPC
MX 9807029 A1	February 1, 1999	N/A	000	A61	F 013/00
WO 9731598 A1	September 4, 1997	7 E	035	A61	F 013/00
AU 9719814 A	September 16, 199'	7 N/A	00	0 A 61	F 013/00
EP 886507 A1	December 30, 1998	E	000	A61F	013/00
CN 1213285 A	April 7, 1999	N/A	000	A61F 0	13/00
BR 9707794 A	July 27, 1999	N/A	000	A61F 0	13/00
US 5981621 A	November 9, 1999	N/A	000) A61	L 025/00
JP 2000503574	March 28, 2000	N/A	038	A61L	024/00
W Se	ptember 28, 2000	N/A	000	A61F 013	/00

AU 724710 B

DESIGNATED-STATES: AU BR CA CN JP MX AT BE CH DE DK ES FI FR GB GR IE IT LU MC N

L PT SE AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC NL PT SE CITED-DOCUMENTS: US 3223083; US 4125494 ; US 4980086 ; US 5259835 ; US 5480935 APPLICATION-DATA:

PUB-NO	APPL-DESCRIPT	ΓOR APPL-NO	APPL-DATE
MX 9807029A1	N/A	1998MX-0007029	August 28, 1998
WO 9731598A1	N/A	1997WO-US03154	February 28, 1997
AU 9719814A	N/A	1997AU-0019814	February 28, 1997
AU 9719814A	Based on	WO 9731598	N/A
EP 886507A1	N/A	1997EP-0907945	February 28, 1997
EP 886507A1	N/A	199 7WO-US 03154	February 28, 1997
EP 886507A1	Based on	WO 9731598	N/A
CN 1213285A	N/A	1997CN-0192705	February 28, 1997
BR 9707794A	N/A	1997BR-0007794	February 28, 1997
BR 9707794A	N/A	1997WO-US03154	February 28, 1997
BR 9707794A	Based on	WO 9731598	N/A
US 5981621A	N/A	1996US-0609921	February 29, 1996
JP2000503574W	' N/A	1997JP-0531147	February 28, 1997
JP2000503574W	/ N/A	1997WO-US03154	February 28, 1997
JP2000503574W	Based on	WO 9731598	N/A
AU 724710B	N/A	1997AU-0019814	February 28, 1997

AU 724710B Previous Publ. AU 9719814 N/A AU 724710B Based on WO 9731598 N/A

INT-CL (IPC): A61F013/00; A61L024/00; A61L025/00; C08F002/44;

C08F020/42; C08J005/12; C09J004/00; C09J007/00

ABSTRACTED-PUB-NO: US 5981621A

لم. و

BASIC-ABSTRACT: A biocompatible monomer composition, comprises (a) a monomer(s), forming a medically acceptable polymer; (b) 0.5-16 wt.% of plasticiser(s); and (c) acidic stabilising agent(s) having a pK ionisation constant of 0-7.

USE - The composition is used for joining tissues, either incised surgically or lacerated traumatically, for wound closure. Excess composition is not wiped off, as with some prior art compositions, and a subsequent coating, which may contain the same or a different monomer, can be applied after the first coat has at least partly polymerised. Other biomedical applications are as sealants for retarding or preventing bleeding or for covering open wounds, setting fractured bone structures, and aiding repair a nd regrowth of living tissues.

ADVANTAGE - Adhesive closure of wounds is often more acceptable to a patient than suture or staple closure, particularly in children having fear of needles; also in geriatric cases in which the skin is weak and prone to tearing. The present composition is free from histotoxicity, or inadequate film strength or flexibility, and toxicity can be reduced by addition of a formaldehyde scavenger, e.g. bisulphite, preferably in microencapsulated form to avoid retarding the polymerisation.

ABSTRACTED-PUB-NO: WO 9731598A

EQUIVALENT-ABSTRACTS: A biocompatible monomer composition, comprises (a) a monomer(s), forming a medically acceptable polymer; (b) 0.5-16 wt.% of plasticiser(s); and (c) acidic stabilising agent(s) having a pK ionisation constant of 0-7.

USE - The composition is used for joining tissues, either incised surgically or lacerated traumatically, for wound closure. Excess composition is not wiped off, as with some prior art compositions, and a subsequent coating, which may contain the same or a different monomer, can be applied after the first coat has at least partly polymerised. Other biomedical applications are as sealants for retarding or preventing bleeding or for covering open wounds, setting fractured bone structures, and aiding repair a nd regrowth of living tissues.

ADVANTAGE - Adhesive closure of wounds is often more acceptable to a patient than suture or staple closure, particularly in children having fear of needles; also in geriatric cases in which the skin is weak and prone to tearing. The present composition is free from histotoxicity, or inadequate film strength or flexibility, and toxicity can be reduced by addition of a formaldehyde

03/30/2001, EAST Version: 1.02.0008

scavenger, e.g. bisulphite, preferably in microencapsulated form to avoid retarding the polymerisation.

CHOSEN-DRAWING: Dwg.0/0

DERWENT-CLASS: A14 A96 D22 E17 P32 P34

CPI-CODES: A04-D; A08-P01; A12-V03A; D09-C04B; E10-E04K; E10-G02G2;

DID:

WO 9731598 A1

03/30/2001, EAST Version: 1.02.0008